

SUPERJET[®]



TRUCK MOUNTED JETTER



800.837.9711 • www.superproductsllc.com

SUPERJET TRUCK MOUNTED JETTER

A SINGLE ENGINE DESIGN

- 40% reduction in fuel usage compared to dual-engine units
- Emits lower sound levels
- Reduced maintenance costs

B WATER STORAGE TANKS

- Modular water tank design easily accommodates capacities from 1000 – 3200 gallons.
- Rounded corners for no stress concentration
- No weld seams. No square corners
- Rotational-molded, non-cross linked polyethylene construction with ultra-violet stabilizer.
- The water tanks features a ten (10) year warranty as standard.
- "No rust-through or corrosion" lifetime warranty provided.

C FILL SYSTEM

- Dual fill. Tank filling possible from both curbside and street sides of unit.

D WATER PUMP

- Double-acting, single-piston hydraulic-powered water pump offers 1:1 oil to water ratio and rated design capacity of 100 gpm and 3000 psi continuous duty.
- Dual nitrogen-charged accumulators with on/off valve allowing operators to selectively activate blockage busting feature.

E EXTENDING & ROTATING HOSE REEL

- The hose reel extends out from the rear compartment hydraulically 60" from fully retracted position. The reel rotates 200° and locks in any position.
- Standard hose reel offers capacity of 1000' of 1" I.D. sewer hose.


REAR COMPARTMENT

- Rear compartment constructed of high-strength aluminum with a minimum thickness of .125". The compartment designed for total enclosure of major components including water pump, hydraulic reservoir, hose reel and associated plumbing.
- Steel subframe with polymer coating on all surfaces for maximum corrosion resistance.
- Three (3) compartment doors made of anodized aluminum.
- Two aluminum roll-up doors on curb and street sides 60" wide x 60" high for maximum access to inside of the compartment.
- Aluminum roll-up door at the rear of the unit 84" wide x 70" high.





SuperJet
TRUCK MOUNTED JETTER



Featuring the sewer industry's most
and technologically advanced water



G REAR CANOPY

- A rear canopy shields the operator from the sun, rain and other elements during operation

H ALL WEATHER SYSTEM

- The rear compartment heated with an 80,000 BTU/hr heater. Heated compartment will assist in allowing year round operation in freezing environments.
- Winter recirculation. The system is designed to prevent freeze-up by pumping water through the entire system while driving to the job site.
- A self-contained air purge system which allows for purging water from the jetting hose, water lines and water pump.

I CONTROL PANEL

- The operator control center and control panel weather-tight NEMA 4.

THE CONTROL PANEL INCLUDES:

- Adjustable engine throttle with water pressure speed dial
- On/Off water pump PTO
- Water level indicator
- Water pressure (PSI) and gallons per minute (GPM)
- Engine tachometer, fuel level, fuel consumption, oil pressure, coolant temp
- Heater fan on switch
- Emergency stop
- Hose reel extent/retract switches
- Hose reel joystick, pay-in & pay-out with speed control
- Hydraulic pressure gauge

J LIGHTING

- Back-up camera system with color monitor located inside chassis cab.
- Stop, turn and running lights.



efficient
pump!



Super Products
TRUCK MOUNTED VACUUM EQUIPMENT

800.837.9711 • www.superproductsllc.com

SUPERJET TRUCK MOUNTED JETTER

Available Options:

- Low water warning light & alarm
- Water tank auto fill system
- Electric Block-Buster Valve
- Retractable hose reel with 50' x 1/2" hose
- Automatic level wind
- Hose reel digital counter
- Hose reel tensioning system
- Wireless remote
- Wired remote
- LED work lights
- LED Package 1 - Strobe light at top rear LH corner of cabinet
- LED Package 2 - Strobe light at top rear RH corner of cabinet
- LED Package 3 - Strobe lights at top front RH & LH corners of cabinet
- LED Package 4 - (2) Front bumper directional strobes,
(2) Mid-ship directional strobes, (2) Rear bumper directional strobes.
- Rear directional Arrowstik
- Front directional Arrowstik
- Handlight (cordless)
- Toolbox package - Five (5) Aluminum toolboxes, Two (2) 18" x 18" x 48"
Two (2) 18" x 18" x 30", One (1) 14" x 12" x 60"
- Pintle hitch, 20,000 lbs capacity with cab mounted brake controller
- Dibond water tank panels



SuperJet
TRUCK MOUNTED JETTER

YOUR AUTHORIZED SUPERJET REPRESENTATIVE



800.837.9711 • www.superproductsllc.com

Super Products LLC • 17000 W. Cleveland Ave. • New Berlin, WI 53151 USA